

Japan Food Research Laboratories

Accredited by the Japanese Government

52-1 Motoyoyogi-cho, Shibuya-ku, Tokyo 151-0062, Japan http://www.jfrl.or.jp/

No. 20078546001-0701 1/10

lug.11,2020

Date issued: August 11, 2020

CERTIFICATE OF ANALYSIS

Client:

Rejuvenation System Inc.

7-19-44 Morikita-machi, Higashinada-ku, Kobe-shi, Hyogo 658-0001, Japan

Sample name:

RETHE

Received date:

July 27, 2020

This is to certify that the following result(s) have been obtained from our analysis on the above-mentioned sample(s) submitted by the client.

Test Result(s)

The 450 pesticides were not detected.

The test results are shown in Tables 1 to 9.

Signed for and on behalf of JFRL

Γakeko Arai

Section of Analysis Documentation

- 無理法人 日本食品分析センター



Tabl					•
	Test item	Result	QL	N	Method
1		Not detected	0.01 ppm		GC-MS/MS method
	2-(1-naphthyl)acetamide	Not detected	0.01 ppm		LC-MS/MS method
3	4-CPA	Not detected	0.01 ppm		LC-MS/MS method
4	Acephate	Not detected	0.01 ppm		LC-MS/MS method
5	Acetamiprid	Not detected	0.01 ppm		LC-MS/MS method
6	Acifluorfen	Not detected	0.01 ppm		LC-MS/MS method
7	Acrinathrin	Not detected	0.01 ppm		GC-MS/MS method
9306	Alachlor	Not detected	0.01 ppm		GC-MS/MS method
1000	Aldicarb and Aldoxycarb	Not detected	0.01 ppm		LC-MS/MS method
	Aldrin and Dieldrin	Not detected	0.005 ppm		GC-MS/MS method
10.00	Allidochlor	Not detected	0.01 ppm		GC-MS/MS method
Mark 166	Ametryn	Not detected	0.01 ppm		LC-MS/MS method
1.50	Aminocarb	Not detected	0.01 ppm		LC-MS/MS method
	Amiprofos-methyl	Not detected	0.01 ppm		LC-MS/MS method
0.000	Anilofos	Not detected	0.01 ppm		LC-MS/MS method
United State	Aramite	Not detected	0.01 ppm		LC-MS/MS method
200.54	Atrazine	Not detected	0.01 ppm		LC-MS/MS method
	Azaconazole	Not detected	0.01 ppm		LC-MS/MS method
	Azamethiphos	Not detected	0.01 ppm		LC-MS/MS method
250,000	Azimsulfuron	Not detected	0.01 ppm		LC-MS/MS method
	Azinphos-ethyl	Not detected	0.01 ppm		LC-MS/MS method
	Azinphos-methyl	Not detected	0.01 ppm		LC-MS/MS method
	Azoxystrobin	Not detected	0.01 ppm		LC-MS/MS method
	Benalaxyl	Not detected	0.01 ppm		GC-MS/MS method
25	Bendiocarb	Not detected	0.01 ppm		LC-MS/MS method
26	Benfluralin	Not detected	0.01 ppm		GC-MS/MS method
27	Benfuresate	Not detected	0.01 ppm		GC-MS/MS method
28	Benoxacor	Not detected	0.01 ppm		LC-MS/MS method
29	Bensulfuron-methyl	Not detected	0.01 ppm		LC-MS/MS method
30	Bensulide	Not detected	0.01 ppm		LC-MS/MS method
31	Benthiavalicarb-isopropyl	Not detected	0.01 ppm		LC-MS/MS method
32	Benzobicyclon	Not detected	0.01 ppm		LC-MS/MS method
33	Benzofenap	Not detected	0.01 ppm		LC-MS/MS method
34	Benzoximate	Not detected	0.01 ppm		LC-MS/MS method
22/201-22	BHC	Not detected	0.01 ppm		GC-MS/MS method
	γ-BHC	Not detected	0.01 ppm		GC-MS/MS method GC-MS/MS method
	Bifenox Bifenthrin	Not detected Not detected	0.01 ppm 0.01 ppm		LC-MS/MS method
	Bitertanol	Not detected	0.01 ppm		LC-MS/MS method
	Bixafen	Not detected	0.01 ppm		LC-MS/MS method
		Not detected			LC-MS/MS method
41 42	Boscalid Bromacil	Not detected	0.01 ppm		LC-MS/MS method
42	Bromobutide	Not detected	0.01 ppm		LC-MS/MS method
	Bromophos	Not detected	0.01 ppm 0.01 ppm		GC-MS/MS method
	Bromophos-ethyl	Not detected	0.01 ppm		GC-MS/MS method
	Bromopropylate	Not detected	0.01 ppm		GC-MS/MS method
	Bromoxyni I	Not detected	0.01 ppm		LC-MS/MS method
3990	Bupirimate	Not detected	0.01 ppm		LC-MS/MS method
0.000	Buprofezin	Not detected	0.01 ppm		LC-MS/MS method
	Butachlor	Not detected	0.01 ppm		LC-MS/MS method
	Butafenaci I	Not detected	0.01 ppm		GC-MS/MS method
	Butamifos	Not detected	0.01 ppm		GC-MS/MS method
	Buturon	Not detected	0.01 ppm		LC-MS/MS method
	Cadusafos	Not detected	0.01 ppm		GC-MS/MS method
U 1		1.100 4000000	Total bbill		as mo, ms mound



Table	e-2			NO.		500 4 0 5 5 50
	Test item	Result	QL	N	Method	
55	Cafenstrole	Not detected	0.01 ppm		LC-MS/MS method	
56	Carbanolate	Not detected	0.01 ppm		LC-MS/MS method	
57	Carbaryl	Not detected	0.01 ppm		LC-MS/MS method	
58	Carbetamide	Not detected	0.01 ppm		LC-MS/MS method	
59	Carfentrazone-ethyl	Not detected	0.01 ppm		LC-MS/MS method	
60	Carpropamid	Not detected	0.01 ppm		LC-MS/MS method	
61	Chlorantraniliprole	Not detected	0.01 ppm		LC-MS/MS method	
	Chlorbenside	Not detected	0.01 ppm		GC-MS/MS method	
63	Chlorbenzuron	Not detected	0.01 ppm		LC-MS/MS method	
64	Chlorbromuron	Not detected	0.01 ppm		LC-MS/MS method	
65	Chlorbufam		0.01 ppm		GC-MS/MS method	
66	Chlordane		0.01 ppm		GC-MS/MS method	
67	Chlorethoxyfos	Not detected	0.01 ppm		GC-MS/MS method	
68	Chlorfenapyr	Not detected	0.01 ppm		GC-MS/MS method	
69	Chlorfenson	Not detected	0.01 ppm		GC-MS/MS method	
70	Chlorfenvinphos	Not detected	0.01 ppm		GC-MS/MS method	
71	Chlorfluazuron	Not detected	0.01 ppm		LC-MS/MS method	
72	Chloridazon	Not detected	0.01 ppm		LC-MS/MS method	
73	Chlorimuron-ethyl	Not detected	0.01 ppm		LC-MS/MS method	
74	Chlornitrofen		0.01 ppm		GC-MS/MS method	
75	Chlorobenzilate		0.01 ppm		GC-MS/MS method	
76	Chloroneb	Not detected	0.01 ppm		GC-MS/MS method	
77	Chlorotoluron	Not detected	0.01 ppm		LC-MS/MS method	
78	Chloroxuron	Not detected	0.01 ppm		LC-MS/MS method	
79	Chlorpropham	Not detected	0.01 ppm		GC-MS/MS method	
80	Chlorpyrifos	Not detected	0.01 ppm		GC-MS/MS method	
81	Chlorpyrifos-methyl	Not detected	0.01 ppm		GC-MS/MS method	
596,085	Chlorsulfuron	Not detected	0.01 ppm		LC-MS/MS method	
83	Chlorthal-dimethyl	Not detected	0.01 ppm		GC-MS/MS method	
84	Chlozolinate	Not detected	0.01 ppm		GC-MS/MS method	
85	Chromafenozide	Not detected	0.01 ppm		LC-MS/MS method	
86	Cinidon-ethyl		0.01 ppm		GC-MS/MS method	
	Cinosulfuron		0.01 ppm		LC-MS/MS method	
88	Clodinafop acid		0.01 ppm		LC-MS/MS method	
	Clodinafop-propargyl	Not detected	0.01 ppm		LC-MS/MS method	
1000000	Clofentezine	Not detected	0.01 ppm		LC-MS/MS method	
	Clomazone	Not detected	0.01 ppm		LC-MS/MS method	
505506	Clomeprop	Not detected	0.01 ppm		LC-MS/MS method	
	Cloquintocet-mexyl	Not detected	0.01 ppm		LC-MS/MS method	
2.200.000	Cloransulam-methyl	Not detected	0.01 ppm		LC-MS/MS method	
	Clothianidin	Not detected	0.01 ppm		LC-MS/MS method	
10000000	Coumaphos	Not detected	0.01 ppm		GC-MS/MS method	
80,000,000	Crufomate	Not detected	0.01 ppm		LC-MS/MS method	
	Cumyluron	Not detected	0.01 ppm		LC-MS/MS method	
	Cyanazine	Not detected	0.01 ppm		LC-MS/MS method	
	Cyanofenphos	Not detected	0.01 ppm		LC-MS/MS method	
16000 15000	Cyanophos	Not detected	0.01 ppm		GC-MS/MS method	
	Cyazofamid	Not detected	0.01 ppm		LC-MS/MS method	
1000	Cyclanilide	Not detected	0.01 ppm		LC-MS/MS method	
20000 201	Cycloate	Not detected	0.01 ppm		GC-MS/MS method	
100000000000000000000000000000000000000	Cyclosulfamuron	Not detected	0.01 ppm		LC-MS/MS method	
	Cyenopyrafen	Not detected	0.01 ppm		LC-MS/MS method	
0.000	Cyflufenamid	Not detected	0.01 ppm		LC-MS/MS method	
108	Cyfluthrin	Not detected	0.01 ppm	<u> </u>	GC-MS/MS method	



110	Method S method
110 Cyhalothrin Not detected 0.01 ppm GC-MS/M 111 Cypermethrin Not detected 0.01 ppm GC-MS/M 112 Cyproconazole Not detected 0.01 ppm LC-MS/M 113 Cyprodinil Not detected 0.01 ppm LC-MS/M 114 Daimuron Not detected 0.01 ppm LC-MS/M 115 DDT Not detected 0.01 ppm LC-MS/M 116 Deltamethrin and Tralomethrin Not detected 0.01 ppm GC-MS/M 117 Demeton-S-methyl Not detected 0.01 ppm GC-MS/M 118 Di-allate Not detected 0.01 ppm GC-MS/M 119 Diazinon Not detected 0.01 ppm GC-MS/M 120 Dichlofenthion Not detected 0.01 ppm GC-MS/M 121 Dichloran Not detected 0.01 ppm GC-MS/M 122 Dichlorvos and Naled Not detected 0.01 ppm GC-MS/M 123 Diclobutrazol Not detected 0.01 ppm GC-MS/M 124 Diclocymet Not detected 0.01 ppm GC-MS/M 125 Diclofop-methyl Not detected 0.01 ppm LC-MS/M 126 Diclosulam Not detected 0.01 ppm LC-MS/M 127 Dicofol Not detected 0.01 ppm LC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Diflubenzuron Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Dimepiperate Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detected 0.01 ppm LC-MS/M 137 Dimethenamid Not detected 0.01 ppm LC-MS/M 138 Dimethenamid Not detected 0.01 ppm LC-MS/M 139 Dimethenamid Not detected 0.01 ppm LC-MS/M 130 Dimethenamid Not detected	S method
111 Cypermethrin Cyproconazole Not detected O. 01 ppm CC-MS/M 112 Cyproconazole Not detected O. 01 ppm LC-MS/M 113 Cyprodinil Not detected O. 01 ppm LC-MS/M 114 Daimuron Not detected O. 01 ppm LC-MS/M 115 DDT Not detected O. 01 ppm CG-MS/M 116 Deltamethrin and Tralomethrin Not detected O. 01 ppm GG-MS/M 117 Demeton-S-methyl Not detected O. 01 ppm CG-MS/M 118 Di-allate Not detected O. 01 ppm GG-MS/M 119 Diazinon Not detected O. 01 ppm GG-MS/M 120 Dichlofenthion Not detected O. 01 ppm GG-MS/M 121 Dichloran Not detected O. 01 ppm GG-MS/M 122 Dichlorvos and Naled Not detected O. 01 ppm GG-MS/M 123 Diclobutrazol Not detected O. 01 ppm GG-MS/M 124 Diclocymet Not detected O. 01 ppm GG-MS/M 125 Diclofop-methyl Not detected O. 01 ppm LC-MS/M 126 Diclosulam Not detected O. 01 ppm LC-MS/M 127 Dicofol Not detected O. 01 ppm LC-MS/M 128 Dicrotophos Not detected O. 01 ppm LC-MS/M 129 Diethofencarb Not detected O. 01 ppm LC-MS/M 130 Diflubenzuron Not detected O. 01 ppm LC-MS/M 131 Diflubenzuron Not detected O. 01 ppm LC-MS/M 132 Diflufenican Not detected O. 01 ppm LC-MS/M 133 Dimepiperate Not detected O. 01 ppm LC-MS/M 134 Dimethametryn Not detected O. 01 ppm LC-MS/M 135 Dimethenamid Not detected O. 01 ppm LC-MS/M 135 Dimethenamid Not detected O. 01 ppm LC-MS/M 135 Dimethametryn Not detected O. 01 ppm LC-MS/M 135 Dimethenamid Not detected O. 01 ppm LC-MS/M 136 Dimethenamid Not detected O. 01 ppm LC-MS/M 137 Dimethenamid Not detected O. 01 ppm LC-MS/M 138 Dimethenamid Not detected O. 01 ppm LC-MS/M 139 Dimethenamid Not detected O. 01 ppm LC-MS/M 130 Dimethenamid Not detected O. 01 ppm LC-MS/M 131 Dimethenamid D. 01 ppm LC-MS/M	S method
112 Cyproconazole	S method
113 Cyprodinil Not detected 0.01 ppm LC-MS/M 114 Daimuron Not detected 0.01 ppm LC-MS/M 115 DDT Not detected 0.01 ppm GC-MS/M 116 Deltamethrin and Tralomethrin Not detected 0.01 ppm GC-MS/M 117 Demeton-S-methyl Not detected 0.01 ppm LC-MS/M 118 Di-allate Not detected 0.01 ppm GC-MS/M 119 Diazinon Not detected 0.01 ppm GC-MS/M 120 Dichlofenthion Not detected 0.01 ppm GC-MS/M 121 Dichloran Not detected 0.01 ppm GC-MS/M 122 Dichlorvos and Naled Not detected 0.01 ppm GC-MS/M 123 Diclobutrazol Not detected 0.01 ppm GC-MS/M 124 Diclogmet Not detected 0.01 ppm GC-MS/M 125 Diclofop-methyl Not detected 0.01 ppm LC-MS/M 126 Diclosulam Not detected 0.01 ppm LC-MS/M 127 Dicofol Not detected 0.01 ppm LC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Difenoconazole Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethametryn Not detected 0.01 ppm LC-MS/M 136 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethametryn Not detected 0.01 ppm LC-MS/M 136 Dimethametryn Not detected 0.01 ppm LC-MS/M 136 Dimethametryn Not detected 0.01 ppm LC-MS/M 137 Dimethametryn Not detected 0.01 ppm LC-MS/M 138 Dimethametryn Not detected 0.01 ppm LC-MS/M 139 Dimethametryn Not detected 0.01 ppm LC-MS/M 130 Dimethametryn	S method
114 Daimuron Not detected 0.01 ppm CC-MS/M 115 DDT Not detected 0.01 ppm GC-MS/M 116 Deltamethrin and Tralomethrin Not detected 0.01 ppm GC-MS/M 117 Demeton-S-methyl Not detected 0.01 ppm GC-MS/M 118 Di-allate Not detected 0.01 ppm GC-MS/M 119 Diazinon Not detected 0.01 ppm GC-MS/M 120 Dichlofenthion Not detected 0.01 ppm GC-MS/M 121 Dichloran Not detected 0.01 ppm GC-MS/M 122 Dichlorvos and Naled Not detected 0.01 ppm GC-MS/M 123 Diclobutrazol Not detected 0.01 ppm GC-MS/M 124 Diclocymet Not detected 0.01 ppm GC-MS/M 125 Diclofop-methyl Not detected 0.01 ppm LC-MS/M 126 Diclosulam Not detected 0.01 ppm LC-MS/M 127 Dicofol Not detected 0.01 ppm LC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Difenoconazole Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detected 0.01 ppm LC-MS/M 137 Dimethenamid Not detected 0.01 ppm LC-MS/M 138 Dimethenamid Not detected 0.01 ppm LC-MS/M 139 Dimethenamid Not detected 0.01 ppm LC-MS/M 130 Dimethenamid Not detected 0.01 ppm LC-MS/M 131 Diflutenican Not detected 0.01 ppm LC-MS/M 132 Dimethenamid Not detected 0.01 ppm LC-MS/M 134 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detect	S method
115 DDT	S method
116	S method
117 Demeton—S—methyl Not detected 0.01 ppm GC—MS/M 118 Di=allate Not detected 0.01 ppm GC—MS/M 120 Dichlofenthion Not detected 0.01 ppm GC—MS/M 121 Dichloran Not detected 0.01 ppm GC—MS/M 122 Dichlorvos and Naled Not detected 0.01 ppm GC—MS/M 123 Diclobutrazol Not detected 0.01 ppm GC—MS/M 124 Diclocymet Not detected 0.01 ppm GC—MS/M 125 Diclofop—methyl Not detected 0.01 ppm LC—MS/M 126 Diclosulam Not detected 0.01 ppm LC—MS/M 127 Dicofol Not detected 0.01 ppm LC—MS/M 128 Dicrotophos Not detected 0.01 ppm LC—MS/M 129 Diethofencarb Not detected 0.01 ppm LC—MS/M 130 Diflubenzuron Not detected 0.01 ppm LC—MS/M 131 Diflubenzuron Not detected 0.01 ppm LC—MS/M 132 Dimepiperate Not detected 0.01 ppm LC—MS/M 133 Dimepiperate Not detected 0.01 ppm LC—MS/M 134 Dimethametryn Not detected 0.01 ppm LC—MS/M 135 Dimethenamid Not detected 0.01 ppm LC—MS/M 135 Dimethametryn Not detected 0.01 ppm LC—MS/M 136 Dimethametryn Not detected 0.01 ppm LC—MS/M 137 Dimethametryn Not detected 0.01 ppm LC—MS/M 136 Dimethametryn Not detected 0.01 ppm LC—MS/M 137 Dimethametryn Not detected 0.01 ppm LC—MS/M 138 Dimethametryn Not detected 0.01 ppm LC—MS/M 139 Dimethametryn Not detected 0.01 ppm LC—MS/M 130 Dimethametryn Not detected 0.01 ppm LC—MS/M 131 Dimethametryn Not detected 0.01 ppm LC—MS/M 131 Dimethametryn Not detected 0.01 ppm LC—MS/M 131 Dimethamet	S method
118	S method
119 Diazinon Not detected 0.01 ppm GC-MS/M 120 Dichloran Not detected 0.01 ppm GC-MS/M GC-MS/M 121 Dichloran Not detected 0.01 ppm GC-MS/M GC-MS/M 122 Dichlorvos and Naled Not detected 0.01 ppm GC-MS/M	S method
119 Diazinon Not detected 0.01 ppm GC-MS/M 120 Dichloran Not detected 0.01 ppm GC-MS/M GC-MS/M 121 Dichloran Not detected 0.01 ppm GC-MS/M GC-	S method
120DichlofenthionNot detected0.01 ppmGC-MS/M121DichloranNot detected0.01 ppmGC-MS/M122Dichlorvos and NaledNot detected0.01 ppmGC-MS/M123DiclobutrazolNot detected0.01 ppmGC-MS/M124DiclocymetNot detected0.01 ppmLC-MS/M125Diclofop-methylNot detected0.01 ppmLC-MS/M126DiclosulamNot detected0.01 ppmLC-MS/M127DicofolNot detected0.01 ppmLC-MS/M128DicrotophosNot detected0.01 ppmLC-MS/M129DiethofencarbNot detected0.01 ppmLC-MS/M130DifenoconazoleNot detected0.01 ppmLC-MS/M131DiflubenzuronNot detected0.01 ppmLC-MS/M132DiflufenicanNot detected0.01 ppmLC-MS/M133DimepiperateNot detected0.01 ppmLC-MS/M134DimethametrynNot detected0.01 ppmLC-MS/M135DimethenamidNot detected0.01 ppmLC-MS/M	S method
121 Dichloran Not detected 0.01 ppm GC-MS/M 122 Dichlorvos and Naled Not detected 0.01 ppm GC-MS/M GC-MS/M 123 Diclobutrazol Not detected 0.01 ppm GC-MS/M 124 Diclocymet Not detected 0.01 ppm LC-MS/M 125 Diclofop-methyl Not detected 0.01 ppm LC-MS/M 126 Diclosulam Not detected 0.01 ppm LC-MS/M 127 Dicofol Not detected 0.01 ppm LC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Difenoconazole Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M LC-MS/M Not detected 0.01 ppm LC-MS/M Not detected	S method
122 Dichlorvos and Naled Not detected 0.01 ppm GC-MS/M 123 Diclobutrazol Not detected 0.01 ppm GC-MS/M 124 Diclocymet Not detected 0.01 ppm LC-MS/M 125 Diclofop-methyl Not detected 0.01 ppm LC-MS/M 126 Diclosulam Not detected 0.01 ppm LC-MS/M 127 Dicofol Not detected 0.01 ppm LC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Difenoconazole Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 LC-MS/M Not detected 0.01 ppm LC-MS/M 137 Dimethenamid Not detected 0.01 ppm LC-MS/M 138 Dimethenamid Not detected 0.01 ppm LC-MS/M 139 Dimethenamid Not detected 0.01 ppm LC-MS/M 130 Dimethenamid Not detected 0.01 ppm LC-MS/M 131 Dimethenamid Not detected 0.01 ppm LC-MS/M 132 Dimethenamid Not detected 0.01 ppm LC-MS/M 134 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detected 0.01 ppm LC-MS/M 137 Dimethenamid Not detected 0.01 ppm LC-MS/M 138 Dimethenamid Not detected 0.01 ppm LC-MS/M 139 Dimethenamid Not detected 0.01 ppm LC-MS/M 130 Dimethenamid Not detected 0.01 ppm LC-MS/M 131 Dimethenamid Not detected 0.01 ppm LC-MS/M 132 Dimethenamid Not detected 0.01 ppm LC-MS/M 134 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detected	S method
123 Diclobutrazol Not detected 0.01 ppm LC-MS/M 124 Diclocymet Not detected 0.01 ppm LC-MS/M 125 Diclofop-methyl Not detected 0.01 ppm LC-MS/M 126 Diclosulam Not detected 0.01 ppm LC-MS/M 127 Dicofol Not detected 0.01 ppm LC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Difenoconazole Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detected 0.01 ppm LC-MS/M 137 Dimethenamid Not detected 0.01 ppm LC-MS/M 138 Dimethenamid Not detected 0.01 ppm LC-MS/M 139 Dimethenamid Not detected 0.01 ppm LC-MS/M 130 Dimethenamid Not detected 0.01 ppm LC-MS/M 131 Dimethenamid Not detected 0.01 ppm LC-MS/M 132 Dimethenamid Not detected 0.01 ppm LC-MS/M 134 Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 136 Dimethenamid Not detected 0.01 ppm LC-MS/M 137 Dimethenamid Dimethenamid Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Dimethen	S method
124DiclocymetNot detected0.01 ppmLC-MS/M125Diclofop-methylNot detected0.01 ppmLC-MS/M126DiclosulamNot detected0.01 ppmLC-MS/M127DicofolNot detected0.01 ppmGC-MS/M128DicrotophosNot detected0.01 ppmLC-MS/M129DiethofencarbNot detected0.01 ppmLC-MS/M130DifenoconazoleNot detected0.01 ppmLC-MS/M131DiflubenzuronNot detected0.01 ppmLC-MS/M132DiflufenicanNot detected0.01 ppmLC-MS/M133DimepiperateNot detected0.01 ppmLC-MS/M134DimethametrynNot detected0.01 ppmLC-MS/M135DimethenamidNot detected0.01 ppmLC-MS/M	S method
125 Diclofop-methyl Not detected 0.01 ppm LC-MS/M 126 Diclosulam Not detected 0.01 ppm LC-MS/M 127 Dicofol Not detected 0.01 ppm GC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Difenoconazole Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M 100 Not detected 0.01 ppm LC-MS/M 101 Not detected 0.01 ppm LC-MS/M 102 Not detected 0.01 ppm LC-MS/M 103 Not detected 0.01 ppm LC-MS/M 104 Not detected 0.01 ppm LC-MS/M 105 Not detected 0.01 ppm LC-MS/M 106 Not detected 0.01 ppm LC-MS/M 107 Not detected 0.01 ppm LC-MS/M 108 Not detected 0.01 ppm LC-MS/M 109 Not detected 0.01 ppm LC-MS/M 100 Not detected 0.01 ppm	S method S method S method S method S method S method
126DiclosulamNot detected0.01 ppmLC-MS/M127DicofolNot detected0.01 ppmGC-MS/M128DicrotophosNot detected0.01 ppmLC-MS/M129DiethofencarbNot detected0.01 ppmLC-MS/M130DifenoconazoleNot detected0.01 ppmLC-MS/M131DiflubenzuronNot detected0.01 ppmLC-MS/M132DiflufenicanNot detected0.01 ppmLC-MS/M133DimepiperateNot detected0.01 ppmLC-MS/M134DimethametrynNot detected0.01 ppmLC-MS/M135DimethenamidNot detected0.01 ppmLC-MS/M	S method S method S method S method S method S method
127 Dicofol Not detected 0.01 ppm GC-MS/M 128 Dicrotophos Not detected 0.01 ppm LC-MS/M 129 Diethofencarb Not detected 0.01 ppm LC-MS/M 130 Difenoconazole Not detected 0.01 ppm LC-MS/M 131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M	S method S method S method S method S method
128DicrotophosNot detected0.01 ppmLC-MS/M129DiethofencarbNot detected0.01 ppmLC-MS/M130DifenoconazoleNot detected0.01 ppmLC-MS/M131DiflubenzuronNot detected0.01 ppmLC-MS/M132DiflufenicanNot detected0.01 ppmLC-MS/M133DimepiperateNot detected0.01 ppmLC-MS/M134DimethametrynNot detected0.01 ppmLC-MS/M135DimethenamidNot detected0.01 ppmLC-MS/M	S method S method S method S method
129DiethofencarbNot detected0.01 ppmLC-MS/M130DifenoconazoleNot detected0.01 ppmLC-MS/M131DiflubenzuronNot detected0.01 ppmLC-MS/M132DiflufenicanNot detected0.01 ppmLC-MS/M133DimepiperateNot detected0.01 ppmLC-MS/M134DimethametrynNot detected0.01 ppmLC-MS/M135DimethenamidNot detected0.01 ppmLC-MS/M	S method S method S method
130DifenoconazoleNot detected0.01 ppmLC-MS/M131DiflubenzuronNot detected0.01 ppmLC-MS/M132DiflufenicanNot detected0.01 ppmLC-MS/M133DimepiperateNot detected0.01 ppmLC-MS/M134DimethametrynNot detected0.01 ppmLC-MS/M135DimethenamidNot detected0.01 ppmLC-MS/M	S method S method
131 Diflubenzuron Not detected 0.01 ppm LC-MS/M 132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M	S method
132 Diflufenican Not detected 0.01 ppm LC-MS/M 133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M	
133 Dimepiperate Not detected 0.01 ppm LC-MS/M 134 Dimethametryn Not detected 0.01 ppm LC-MS/M 135 Dimethenamid Not detected 0.01 ppm LC-MS/M	
134 DimethametrynNot detected0.01 ppmLC-MS/M135 DimethenamidNot detected0.01 ppmLC-MS/M	[10] [10]
135 Dimethenamid Not detected 0.01 ppm LC-MS/M	Mark and the state of the state
	123 3
130 Dillictifiditi Indicacted to of Dolli Indicacted	
	S method
를 가는 사람이 많아보다는 사람이 다른 사람이 되었다. 나는 사람이 되었다면 보고 있는 사람이 되었다. 나는 사람이 되었다면 보고 있는 사람이 되었다. 나는 사람이 되었다면 되었다면 되었다면 되었다. 나는 사람이 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면	S method
数数の数 数数の 1 数数の 1 1 1 1 1 1 1 1 1	S method
	S method
를 잃었다면 사람이 되었다면 하는데 이 사람이 되었다면 보고 있다면 하는데 이 사람이 되었다면 하는데 이 사람이 되었	S method
ENGINE DESCRIPTION OF THE PROPERTY OF THE PROP	S method
	S method
162 Ethiprole Not detected 0.01 ppm LC-MS/M	S method



Tabl					
	Test item	Result	QL	N	Method
900000000000000000000000000000000000000	Ethofumesate	Not detected	0.01 ppm		LC-MS/MS method
	Ethoprophos	Not detected	0.01 ppm		GC-MS/MS method
	Ethoxysulfuron	Not detected	0.01 ppm		LC-MS/MS method
166	Etobenzanid	Not detected	0.01 ppm		LC-MS/MS method
167	Etofenprox	Not detected	0.01 ppm		LC-MS/MS method
168	Etoxazole	Not detected	0.01 ppm		LC-MS/MS method
169	Etrimfos	Not detected	0.01 ppm		GC-MS/MS method
170	Famoxadone	Not detected	0.01 ppm		LC-MS/MS method
171	Famphur	Not detected	0.01 ppm		LC-MS/MS method
172	Fenamidone	Not detected	0.01 ppm		LC-MS/MS method
173	Fenamiphos	Not detected	0.01 ppm		GC-MS/MS method
174	Fenarimol	Not detected	0.01 ppm		LC-MS/MS method
175	Fenbuconazo le	Not detected	0.01 ppm		LC-MS/MS method
	Fenchlorphos	Not detected	0.01 ppm		GC-MS/MS method
	Fenhexamid	Not detected	0.01 ppm		LC-MS/MS method
	Fenitrothion	Not detected	0.01 ppm		GC-MS/MS method
2000	Fenobucarb	Not detected	0.01 ppm		LC-MS/MS method
	Fenothiocarb	Not detected	0.01 ppm		LC-MS/MS method
20099900	Fenoxani I	Not detected	0.01 ppm		LC-MS/MS method
98553119950	Fenoxycarb	Not detected	0.01 ppm		LC-MS/MS method
11,000	Fenpiclonil	Not detected	0.01 ppm		LC-MS/MS method
	Fenpropathrin	Not detected	0.01 ppm		GC-MS/MS method
A 100 A		Not detected	0.01 ppm		LC-MS/MS method
	And the second state of the second se		0.01 ppm		LC-MS/MS method
			0.01 ppm		LC-MS/MS method
			0.01 ppm		LC-MS/MS method
			0.01 ppm		LC-MS/MS method
	A STATE OF THE PROPERTY OF THE		0.01 ppm		LC-MS/MS method
			0.01 ppm		LC-MS/MS method
50.0000000			0.01 ppm	9	GC-MS/MS method
La Charles (CVI)			0.01 ppm		LC-MS/MS method
200000000000000000000000000000000000000			0.002 ppm		LC-MS/MS method
	Flamprop-methyl	Not detected	0.01 ppm		LC-MS/MS method
			0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	A Contract of the Contract of		0.01 ppm		LC-MS/MS method
100000000			0.01 ppm		LC-MS/MS method
			0.01 ppm		LC-MS/MS method
10000000			0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Flucythrinate		0.01 ppm	1	GC-MS/MS method
	Fludioxonil		0.01 ppm		LC-MS/MS method
	Flufenoxuron		0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Flufenpyr-ethyl	Not detected	0.01 ppm		LC-MS/MS method
221222002240	Flumetsulam	Not detected	0.01 ppm		LC-MS/MS method
	Flumiclorac-pentyl	Not detected	0.01 ppm		GC-MS/MS method
	Flumioxazin	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Fluometuron	Not detected	0.01 ppm		LC-MS/MS method
14009523762	Fluopicolide	Not detected	0.01 ppm		LC-MS/MS method
27.2.2.31.0.255.50	2000	Not detected	0.01 ppm		LC-MS/MS method
		Not detected	0.01 ppm		LC-MS/MS method
4.5000		Not detected	0.01 ppm		LC-MS/MS method
400000000000000000000000000000000000000	Flusilazole	Not detected	0.01 ppm		LC-MS/MS method
	Fluthiacet-methyl	Not detected	0.01 ppm		LC-MS/MS method
	Flutolanil		0.01 ppm		LC-MS/MS method
	Flutriafol		0.01 ppm		LC-MS/MS method
210	I TULI TUTU	not detected	o. o i ppili		LO MO/ MO INCLINU



Tabl		·			
	Test item	Result	QL	N	Method
	Fluvalinate	Not detected	0.01 ppm		GC-MS/MS method
	Fomesafen	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Fonofos	Not detected	0.01 ppm		GC-MS/MS method
100000000000000000000000000000000000000	Formothion	Not detected	0.01 ppm		GC-MS/MS method
Section 1997	Fosthiazate	Not detected	0.01 ppm		LC-MS/MS method
222	Fthalide	Not detected	0.01 ppm		GC-MS/MS method
223	Fuberidazole	Not detected	0.01 ppm		LC-MS/MS method
224	Furalaxyl	Not detected	0.01 ppm		LC-MS/MS method
225	Furametpyr	Not detected	0.01 ppm		LC-MS/MS method
226	Furilazole	Not detected	0.01 ppm		GC-MS/MS method
227	Halfenprox	Not detected	0.01 ppm		GC-MS/MS method
228	Halosulfuron-methyl	Not detected	0.01 ppm		LC-MS/MS method
229	Haloxyfop	Not detected	0.01 ppm		LC-MS/MS method
230	Heptachlor(including heptachlor epoxide)	Not detected	0.01 ppm		GC-MS/MS method
231	Hexaconazole	Not detected	0.01 ppm		LC-MS/MS method
232	Hexaflumuron	Not detected	0.01 ppm		LC-MS/MS method
233	Hexazinone	Not detected	0.01 ppm		GC-MS/MS method
	Hexythiazox	Not detected	0.01 ppm		LC-MS/MS method
	Imazalil	Not detected	0.01 ppm		LC-MS/MS method
236	Imazamethabenz-methyl-ester	Not detected	0.01 ppm		LC-MS/MS method
	Imazosulfuron	Not detected	0.01 ppm		LC-MS/MS method
	Imicyafos	Not detected	0.01 ppm		LC-MS/MS method
	Imidacloprid	Not detected	0.01 ppm		LC-MS/MS method
T-10-1-10-10-10-10-10-10-10-10-10-10-10-1	Inabenfide	Not detected	0.01 ppm		LC-MS/MS method
55555555	Indanofan	Not detected	0.01 ppm		LC-MS/MS method
	Indoxacarb	Not detected	0.01 ppm		LC-MS/MS method
	Iodosulfuron methyl	Not detected	0.01 ppm		LC-MS/MS method
	Ioxynil	Not detected	0.01 ppm		LC-MS/MS method
0.000	Ipfencarbazone	Not detected	0.01 ppm		LC-MS/MS method
	Iprobenfos	Not detected	0.01 ppm		GC-MS/MS method
100000000000000000000000000000000000000	Iprodione	Not detected	0.01 ppm		GC-MS/MS method
V3000 0000	Iprovalicarb	Not detected	0.01 ppm		LC-MS/MS method
	Isazophos	Not detected	0.01 ppm		LC-MS/MS method
	Isocarbophos	Not detected	0.01 ppm		GC-MS/MS method
	Isofenphos	Not detected	0.01 ppm		LC-MS/MS method
	Isomethiozin	Not detected	0.01 ppm		LC-MS/MS method
	Isoprocarb	Not detected	0.01 ppm		LC-MS/MS method
	Isoprothiolane	Not detected	0.01 ppm		LC-MS/MS method
	Isoproturon	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Isopyrazam	Not detected	0.01 ppm		LC-MS/MS method
	Isouron	Not detected	0.01 ppm		LC-MS/MS method
100000	Isoxadifen-ethyl	Not detected	0.01 ppm		LC-MS/MS method
220520000000000000000000000000000000000	Isoxathion	Not detected	0.01 ppm		GC-MS/MS method
100000000000000000000000000000000000000	Karbutilate	Not detected	0.01 ppm		LC-MS/MS method
	Kresoxim-methyl	Not detected	0.01 ppm		LC-MS/MS method
	Lactofen	Not detected	0.01 ppm		GC-MS/MS method
	Lenacil	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Linuron	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Lufenuron	Not detected	0.01 ppm		LC-MS/MS method
	Malathion	Not detected	0.01 ppm		GC-MS/MS method
	Mandipropamid	Not detected	0.01 ppm		LC-MS/MS method
	Mecarbam	Not detected	0.01 ppm		LC-MS/MS method
CONTRACTOR OF THE	Mecoprop	Not detected	0.01 ppm		LC-MS/MS method
	Mefenacet	Not detected	0.01 ppm		LC-MS/MS method
	[1	Total phili		,



Tabl			.,		
	Test item	Result	QL	N	Method
	Mefenpyr-diethyl	Not detected	0.01 ppm		LC-MS/MS method
	Meproni I	Not detected	0.01 ppm		LC-MS/MS method
	Mesosulfuron-methyl	Not detected	0.01 ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Metalaxyl and Mefenoxam	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Metazachlor	Not detected	0.01 ppm		LC-MS/MS method
	Metconazole	Not detected	0.01 ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Methabenzthiazuron	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Methacrifos	Not detected	0.01 ppm		GC-MS/MS method
279	Methamidophos	Not detected	0.01 ppm		LC-MS/MS method
280	Methidathion	Not detected	0.01 ppm		GC-MS/MS method
281	Methiocarb	Not detected	0.01 ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Methoprotryne	Not detected	0.01 ppm		LC-MS/MS method
	Methoxychlor	Not detected	0.01 ppm		GC-MS/MS method
	Methoxyfenozide	Not detected	0.01 ppm		LC-MS/MS method
100 100 100 100 100	Metolachlor	Not detected	0.01 ppm		LC-MS/MS method
The state of the s	Metolcarb	Not detected	0.01 ppm		LC-MS/MS method
	Metominostrobin	Not detected	0.01 ppm		LC-MS/MS method
	Metosulam	Not detected	0.01 ppm		LC-MS/MS method
10.500000000	Metrafenone	Not detected	0.01 ppm		LC-MS/MS method
1625000000000000000000000000000000000000	Metsulfuron-methyl	Not detected	0.01 ppm		LC-MS/MS method
	Mevinphos	Not detected	0.01 ppm		GC-MS/MS method
A=200565.00	Molinate	Not detected	0.01 ppm		GC-MS/MS method
100000000000000000000000000000000000000	Monalide	Not detected	0.01 ppm		LC-MS/MS method
	Monocrotophos	Not detected	0.01 ppm		LC-MS/MS method
	Monolinuron	Not detected	0.01 ppm		LC-MS/MS method
	Myclobutanil	Not detected	0.01 ppm		LC-MS/MS method
	Naproanilide	Not detected	0.01 ppm		LC-MS/MS method
	Napropamide	Not detected	0.01 ppm		LC-MS/MS method
	Neburon	Not detected	0.01 ppm		LC-MS/MS method
	Nicosulfuron	Not detected	0.01 ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Nitrothal-isopropyl	Not detected	0.01 ppm		GC-MS/MS method
	Novaluron	Not detected	0.01 ppm		LC-MS/MS method
	Nuarimol	Not detected	0.01 ppm		LC-MS/MS method
V2000000000000000000000000000000000000	Omethoate	Not detected	0.01 ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Orbencarb	Not detected	0.01 ppm		LC-MS/MS method
	Orysastrobin	Not detected	0.01 ppm		LC-MS/MS method
	Oryzalin	Not detected	0.01 ppm		LC-MS/MS method
	Oxadiazon	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Oxadixyl	Not detected	0.01 ppm		GC-MS/MS method
	Oxamy I	Not detected	0.01 ppm		LC-MS/MS method
200000000000000000000000000000000000000	Oxaziclomefone	Not detected	0.01 ppm		LC-MS/MS method
357-70007-22	Oxycarboxin	Not detected	0.01 ppm		LC-MS/MS method
	Oxydemeton-methyl	Not detected	0.01 ppm		LC-MS/MS method
	0xyfluorfen	Not detected	0.01 ppm		GC-MS/MS method
100000000000000000000000000000000000000	Paclobutrazol	Not detected	0.01 ppm		LC-MS/MS method
	Paraoxon-methyl	Not detected	0.01 ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Parathion	Not detected	0.01 ppm		GC-MS/MS method
	Parathion-methyl	Not detected	0.01 ppm		GC-MS/MS method
	Penconazole	Not detected	0.01 ppm		LC-MS/MS method
100000000000000000000000000000000000000	Pencycuron Pendimethalin	Not detected	0.01 ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Pendimethalin	Not detected	0.01 ppm		LC-MS/MS method
7-2-5-5	Penflufen	Not detected	0.01 ppm		LC-MS/MS method
	Penoxsulam Pentanaphlar	Not detected	0.01 ppm		LC-MS/MS method LC-MS/MS method
324	Pentanochlor	Not detected	0.01 ppm		LU-MO/MO INCLINU



Tabl	e-7				
	Test item	Result	QL	N	Method
325	Penthiopyrad	Not detected	0.01 ppm		LC-MS/MS method
326	Pentoxazone	Not detected	0.01 ppm		LC-MS/MS method
327	Permethrin	Not detected	0.01 ppm		GC-MS/MS method
328	Phenmed i pham	Not detected	0.01 ppm		LC-MS/MS method
329	Phenothrin	Not detected	0.01 ppm		LC-MS/MS method
330	Phenthoate	Not detected	0.01 ppm		GC-MS/MS method
331	Phorate	Not detected	0.01 ppm		GC-MS/MS method
332	Phosalone	Not detected	0.01 ppm		GC-MS/MS method
333	Phosmet	Not detected	0.01 ppm		GC-MS/MS method
334	Phosphamidon	Not detected	0.01 ppm		LC-MS/MS method
335	Phoxim	Not detected	0.01 ppm		LC-MS/MS method
336	Picolinafen	Not detected	0.01 ppm		LC-MS/MS method
337	Picoxystrobin	Not detected	0.01 ppm		LC-MS/MS method
338	Piperonyl butoxide	Not detected	0.01 ppm		LC-MS/MS method
339	Piperophos	Not detected	0.01 ppm		LC-MS/MS method
340	Pirimicarb	Not detected	0.01 ppm		LC-MS/MS method
341	Pirimioxyphos	Not detected	0.01 ppm		LC-MS/MS method
342	Pirimiphos-ethyl	Not detected	0.01 ppm		LC-MS/MS method
343	Pirimiphos-methyl	Not detected	0.01 ppm		GC-MS/MS method
344	Pretilachlor	Not detected	0.01 ppm		LC-MS/MS method
345	Primisulfuron-methyl	Not detected	0.01 ppm		LC-MS/MS method
346	Procymidone	Not detected	0.01 ppm		GC-MS/MS method
347	Profenofos	Not detected	0.01 ppm		GC-MS/MS method
348	Promecarb	Not detected	0.01 ppm		LC-MS/MS method
349	Prometon	Not detected	0.01 ppm		LC-MS/MS method
350	Prometryn	Not detected	0.01 ppm		LC-MS/MS method
351	Propani I	Not detected	0.01 ppm		LC-MS/MS method
	Propaphos	Not detected	0.01 ppm		GC-MS/MS method
	Propaguizafop	Not detected	0.01 ppm		LC-MS/MS method
	Propargite	Not detected	0.01 ppm		LC-MS/MS method
	Propazine	Not detected	0.01 ppm		LC-MS/MS method
	Propetamphos	Not detected	0.01 ppm		LC-MS/MS method
	Propham	Not detected	0.01 ppm		LC-MS/MS method
	Propiconazole		0.01 ppm		LC-MS/MS method
	Propoxur	Not detected	0.01 ppm		LC-MS/MS method
	Propyzamide	Not detected	0.01 ppm		LC-MS/MS method
2555000	Prosulfocarb	Not detected	0.01 ppm		LC-MS/MS method
-10000000000000000000000000000000000000	Prosulfuron	Not detected	0.01 ppm		LC-MS/MS method
	Prothiofos	Not detected	0.01 ppm		GC-MS/MS method
	Pyraclofos	Not detected	0.01 ppm		GC-MS/MS method
9800000	Pyraclonil	Not detected	0.01 ppm		LC-MS/MS method
1422030000	Pyraclostrobin	Not detected	0.01 ppm		LC-MS/MS method
	Pyraflufen-ethyl	Not detected	0.01 ppm		LC-MS/MS method
	Pyrazolynate	Not detected	0.01 ppm		LC-MS/MS method
	Pyrazophos	Not detected	0.01 ppm		LC-MS/MS method
	Pyrazosulfuron-ethyl	Not detected	0.01 ppm		LC-MS/MS method
	Pyrazoxyfen	Not detected	0.01 ppm		LC-MS/MS method
	Pyributicarb	Not detected	0.01 ppm		LC-MS/MS method
	Pyridaben	Not detected	0.01 ppm		LC-MS/MS method
	Pyridafenthion	Not detected	0.01 ppm		GC-MS/MS method
	Pyrifenox	Not detected	0.01 ppm		LC-MS/MS method
	Pyriftalid	Not detected	0.01 ppm		LC-MS/MS method
	Pyrimethani I	Not detected	0.01 ppm		LC-MS/MS method
3/8	Pyrimidifen	Not detected	0.01 ppm		LC-MS/MS method



Tabl							
	Test item		Result		QL	N	Method
	Pyriminobac-methyl		detected		ppm		LC-MS/MS method
	Pyriproxyfen		detected	0.01	5.5		LC-MS/MS method
	Pyroquilon	100000000000000000000000000000000000000	detected	0.01	0 507000		LC-MS/MS method
	Quinalphos	100 - 100 6	detected	0.01			GC-MS/MS method
	Quinoclamine		detected	0.01	ppm		LC-MS/MS method
	Quinoxyfen			0.01	ppm		LC-MS/MS method
385	Quintozene			0.01	ppm		GC-MS/MS method
386	Rimsulfuron	Not	detected	0.01	ppm		LC-MS/MS method
387	Rotenone	Not	detected	0.01	ppm		LC-MS/MS method
388	Salithion	Not	detected	0.01	ppm		GC-MS/MS method
389	Secbumeton	Not	detected	0.01	ppm		LC-MS/MS method
390	Silafluofen	Not	detected	0.01	ppm		GC-MS/MS method
391	Simazine	Not	detected	0.01	ppm		LC-MS/MS method
392	Simeconazole	Not	detected	0.01	ppm		LC-MS/MS method
393	Simetryn	Not	detected	0.01	ppm		LC-MS/MS method
394	Spinosad	Not			ppm		LC-MS/MS method
100000000000000000000000000000000000000	Spirodiclofen	Not	detected	0.01	ppm		LC-MS/MS method
	Spiroxamine	0.00			ppm		LC-MS/MS method
5-2, 6-10-6	Sulfentrazone	Not			ppm		LC-MS/MS method
100000000000000000000000000000000000000	Sulfosulfuron	1910-0000			ppm		LC-MS/MS method
100000000000000000000000000000000000000	Sulfotep	12 (2000) 2000			ppm		LC-MS/MS method
	Sulprofos				ppm		LC-MS/MS method
0.0000000000000000000000000000000000000	Swep	10000000			ppm		LC-MS/MS method
100000000	Tebuconazo le	- 3 1 1 5 m 1 5 m 1			ppm		LC-MS/MS method
	Tebufenozide	100000000000000000000000000000000000000	25.35		ppm		LC-MS/MS method
	Tebufenpyrad				ppm		LC-MS/MS method
7.02-2-22	Tebupirimfos				ppm		LC-MS/MS method
2110212396	Tebutam	100000000000000000000000000000000000000			ppm		LC-MS/MS method
407	Tebuthiuron				ppm		LC-MS/MS method
408	Tecnazene				ppm		GC-MS/MS method
409	Teflubenzuron				ppm		LC-MS/MS method
410	Tefluthrin	10 3 3 min (1) 3 min (1)			ppm		GC-MS/MS method
411	Terbacil	25.5	2000		ppm		LC-MS/MS method
20000	Terbucarb				ppm		LC-MS/MS method
	Terbufos	0.0000000000000000000000000000000000000			5 ppm		GC-MS/MS method
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Terbuthy lazine	Action to the second			ppm		LC-MS/MS method
	Terbutryn	-27			ppm		LC-MS/MS method
10 PO	Tetrachlorvinphos				ppm		LC-MS/MS method
2000 St. 1000 St. 100	Tetraconazole	100000000000000000000000000000000000000			ppm		LC-MS/MS method
100000000000000000000000000000000000000	Tetradifon	100000000000000000000000000000000000000			ppm		GC-MS/MS method
	Thenylchlor	100			ppm		LC-MS/MS method
100000000000000000000000000000000000000	Thiabendazole	127-187-1			ppm		LC-MS/MS method
2000 St (CA)	Thiacloprid	100 march 100 N			ppm		LC-MS/MS method
100000000000000000000000000000000000000	Thiamethoxam	113 2000 1200	10 10 and the control of the control		ppm		LC-MS/MS method
	Thiazopyr		193		ppm		LC-MS/MS method
100	Thifensulfuron-methyl				ppm		LC-MS/MS method
1743-030-039	Thifluzamide	1756117000	[18] [1] [1] [1] [1] [1] [1] [1] [1] [1] [1		ppm		LC-MS/MS method
10120000	Thiobencarb	\$100 mg (85.4)	D250 XV		ppm		LC-MS/MS method
	Thiometon		7.2.7		ppm		GC-MS/MS method
0.000	Tolclofos-methyl				ppm		GC-MS/MS method
13123222	Tolfenpyrad				ppm		LC-MS/MS method
	Triadimefon	A STATE OF THE PARTY OF THE PAR			ppm		LC-MS/MS method
100000000000000000000000000000000000000	Triadimerol				ppm		LC-MS/MS method
	Tri-allate				ppm		GC-MS/MS method
402	III allace	HOL	docooled	0. 01	ppiii		ao mo/mo mocnou



Table-9

an 16-9		1 2	
Test item	Result	QL	N Method
433 Triasulfuron	Not detected	0.01 ppm	LC-MS/MS method
434 Triazamate	Not detected	0.01 ppm	LC-MS/MS method
435 Triazophos	Not detected	0.01 ppm	GC-MS/MS method
436 Tribufos	Not detected	0.01 ppm	LC-MS/MS method
437 Tricyclazole	Not detected	0.01 ppm	LC-MS/MS method
438 Tridiphane	Not detected	0.01 ppm	GC-MS/MS method
439 Trifloxystrobin	Not detected	0.01 ppm	LC-MS/MS method
440 Trifloxysulfuron	Not detected	0.01 ppm	LC-MS/MS method
441 Triflumizole	Not detected	0.01 ppm	LC-MS/MS method
442 Triflumuron	Not detected	0.01 ppm	LC-MS/MS method
443 Trifluralin	Not detected	0.01 ppm	GC-MS/MS method
444 Triflusulfuron-methyl	Not detected	0.01 ppm	LC-MS/MS method
445 Triticonazole	Not detected	0.01 ppm	LC-MS/MS method
446 Uniconazole P	Not detected	0.01 ppm	LC-MS/MS method
447 Vinclozolin	Not detected	0.01 ppm	GC-MS/MS method
448 XMC	Not detected	0.01 ppm	LC-MS/MS method
449 Xylylcarb	Not detected	0.01 ppm	LC-MS/MS method
450 Zoxamide	Not detected	0.01 ppm	LC-MS/MS method

QL: Quantitation limit N: Notes

Method

 $\begin{tabular}{ll} $\sf GC-MS/MS$ method: Gas chromatography-tandem mass spectrometry $$\sf LC-MS/MS$ method: Liquid chromatography-tandem mass spectrometry $$\sf C-MS/MS$ method: Liquid chromatography-tandem mass spectrometry $$\sf C-MS/MS$ method: $$\sf C-MS/MS$ met$